

**Safety Data Sheet dated 14/9/2021, version 4**

---

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Mixture identification:

Trade name: B125 - SILVER PLATING PASTE

Trade code: B125

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use:

Galvanic, base and lab chemistry

### **1.3. Details of the supplier of the safety data sheet**

Company:

CABRO SPA - AREZZO

Road Setteponti 141

52100 - Italy

CABRO SPA

Phone n. +39 0575 984442

Office hours: 9-13 / 14.30-17.30

Competent person responsible for the safety data sheet:

info@cabro.it

### **1.4. Emergency telephone number**

CABRO SPA

Phone n. +39 0575 984442

Office hours: 9-13 / 14.30-17.30

Poison Information Center - 24/24h Careggi Hospital (Florence) - Phone +39 055 7947819

Poison Information Center - 24/24h Foggia Hospital - Phone +39 0881-732326

Poison Information Center - 24/24h Bergamo Hospital - Phone +39 800 883300

---

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

EC regulation criteria 1272/2008 (CLP)

⚠ Warning, Aquatic Acute 1, Very toxic to aquatic life.

⚠ Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### **2.2. Label elements**

Hazard pictograms:



Warning

Hazard statements:

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

# Safety Data Sheet

## B125 - SILVER PLATING PASTE



Special provisions according to Annex XVII of REACH and subsequent amendments:  
None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 12,5% - < 15%	Silver chloride	CAS: 7783-90-6 REACH No.: 01-2119967399-16	⚠ 2.16/1 Met. Corr. 1 H290 ⚠ 4.1/C1 Aquatic Chronic 1 H410 M=100. ⚠ 4.1/A1 Aquatic Acute 1 H400 M=1000.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

None

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale combustion gases

Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

For non emergency personnel:  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.  
For emergency responders:  
Wear personal protection equipment.

### **6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand

### **6.3. Methods and material for containment and cleaning up**

Wash with plenty of water.

### **6.4. Reference to other sections**

See also section 8 and 13

---

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
See also section 8 for recommended protective equipment.  
Advice on general occupational hygiene:  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.

### **7.3. Specific end use(s)**

None in particular

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

### **8.2. Exposure controls**

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

# Safety Data Sheet

## B125 - SILVER PLATING PASTE



No special precaution must be adopted for normal use.  
Protection for hands:  
Not needed for normal use.  
Respiratory protection:  
Not needed for normal use.  
Thermal Hazards:  
None  
Environmental exposure controls:  
None  
Appropriate engineering controls:  
None

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	Viscous, Light violet	--	--
Odour:	odorless	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	N.A.	--	--
Solubility in water:	Soluble	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--

# Safety Data Sheet

## B125 - SILVER PLATING PASTE



Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the product:  
B125 - SILVER PLATING PASTE

#### a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

#### b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

#### c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

#### d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

#### e) germ cell mutagenicity

# Safety Data Sheet

## B125 - SILVER PLATING PASTE



- Not classified  
Based on available data, the classification criteria are not met
- f) carcinogenicity  
Not classified  
Based on available data, the classification criteria are not met
- g) reproductive toxicity  
Not classified  
Based on available data, the classification criteria are not met
- h) STOT-single exposure  
Not classified  
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure  
Not classified  
Based on available data, the classification criteria are not met
- j) aspiration hazard  
Not classified  
Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:  
N.A.

---

### SECTION 12: Ecological information

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
B125 - SILVER PLATING PASTE  
The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410
- 12.2. Persistence and degradability  
N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information



- 14.1. UN number  
ADR-UN Number: 3082  
IATA-UN Number: 3082  
IMDG-UN Number: 3082
- 14.2. UN proper shipping name  
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver chloride)  
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# Safety Data Sheet

## B125 - SILVER PLATING PASTE



N.O.S. (Silver chloride)  
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (Silver chloride)

### 14.3. Transport hazard class(es)

ADR-Class: 9  
ADR - Hazard identification number: 90  
IATA-Class: 9  
IATA-Label: 9  
IMDG-Class: 9

### 14.4. Packing group

ADR-Packing Group: III  
IATA-Packing group: III  
IMDG-Packing group: III

### 14.5. Environmental hazards

ADR-Environmental Pollutant: Yes  
IMDG-Marine pollutant: Marine Pollutant  
Most important toxic component: Silver chloride

### 14.6. Special precautions for user

ADR-Subsidiary hazards: -  
ADR-S.P.: 274 335 375 601  
ADR-Transport category (Tunnel restriction code): 3 (-)  
IATA-Passenger Aircraft: 964  
IATA-Subsidiary hazards: -  
IATA-Cargo Aircraft: 964  
IATA-S.P.: A97 A158 A197 A215  
IATA-ERG: 9L  
IMDG-EmS: F-A,  
S-F  
IMDG-Subsidiary hazards: -  
IMDG-Stowage and handling: Category A  
IMDG-Segregation: -

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation

# Safety Data Sheet

## B125 - SILVER PLATING PASTE



(EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E1

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H290 May be corrosive to metals.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the



**Safety Data Sheet**  
**B125 - SILVER PLATING PASTE**



specific use intended.  
This MSDS cancels and replaces any preceding release.