

Safety Data Sheet dated 27/1/2023, version 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Identification of the substance

Trade name: B200 - SALE GALVANICO
Trade code: B200
CAS number: 506-64-9
EC number: 208-048-6
REACH number: 01-2120138003-73

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Galvanic, base and lab chemistry

1.3. Details of the supplier of the safety data sheet

Company:
CABRO SPA - AREZZO
Road Setteponti 141
52100 - Italy
CABRO SPA
Phone n. +39 0575 984442
Office hours: 9-13 / 14.30-17.30

Competent person responsible for the safety data sheet:

info@cabro.it

1.4. Emergency telephone number

CABRO SPA
Phone n. +39 0575 984442
Office hours: 9-13 / 14.30-17.30
Poison Information Center - 24/24h Careggi Hospital (Florence) - Phone +39 055 7947819
Poison Information Center - 24/24h Foggia Hospital - Phone +39 0881-732326
Poison Information Center - 24/24h Bergamo Hospital - Phone +39 800 883300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- ⚠ Warning, Met. Corr. 1, May be corrosive to metals.
 - ⚠ Danger, Acute Tox. 3, Toxic if swallowed.
 - ⚠ Warning, Skin Irrit. 2, Causes skin irritation.
 - ⚠ Danger, Eye Dam. 1, Causes serious eye damage.
 - ⚠ Warning, Aquatic Acute 1, Very toxic to aquatic life.
 - ⚠ Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.
- EUH032 Contact with acids liberates very toxic gas.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

Safety Data Sheet

B200 - SALE GALVANICO



H290 May be corrosive to metals.
 H301 Toxic if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P264 Wash hands thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/clothing and eye/face protection.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P391 Collect spillage.

Special Provisions:

EUH032 Contact with acids liberates very toxic gas.

Contains

Silver Cyanide

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Identification of the substance

Chemical characterization: B200 - SALE GALVANICO

Trade code: B200

CAS number: 506-64-9

EC number: 208-048-6

REACH number: 01-2120138003-73

Qty	Name	Ident. Number	Classification
100 %	Silver Cyanide	CAS: 506-64-9 EC: 208-048-6 REACH No.: 01-2120138003-73	⚠ 2.16/1 Met. Corr. 1 H290 ⚠ 3.1/3/Oral Acute Tox. 3 H301 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=1000. ⚠ 4.1/C1 Aquatic Chronic 1 H410 M=100. EUH032

M factor:

M: 1000

M (chronic): 100

3.2. Mixtures

N.A.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

Do not under any circumstances induce vomiting. **OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.**

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Dizziness

Nausea

Vomiting

Spasms

Respiratory disorders

Unconsciousness

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Call emergency doctor immediately (alarm report: cyanide / hydrocyanic acid poisoning)

Where appropriate artificial ventilation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish.

Extinguishing media which must not be used for safety reasons:

acidic quenching agents

5.2. Special hazards arising from the substance or mixture

Do not inhale combustion gases

5.3. Advice for firefighters

Use suitable breathing apparatus .

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Exercise the greatest care when handling or opening the container.
Use localized ventilation system.
Advice on general occupational hygiene:
Do not eat, drink or smoke when using this product.
Wash hands after use

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.
Incompatible materials:
Keep away from acids.
Instructions as regards storage premises:
Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

B200 - SALE GALVANICO - CAS: 506-64-9

WEL - TWA: 0.01 mg/m³

DNEL Exposure Limit Values

B200 - SALE GALVANICO - CAS: 506-64-9

Worker Industry: 0.05 mg/kg - Worker Professional: 0.05 mg/kg - Exposure: Human Oral
- Frequency: Long Term (repeated)

Worker Industry: 4.5 mg/kg - Worker Professional: 4.5 mg/kg - Exposure: Human Oral -
Frequency: Short Term (acute)

Silver Cyanide - CAS: 506-64-9

Worker Industry: 0.05 mg/kg - Worker Professional: 0.05 mg/kg - Exposure: Human Oral
- Frequency: Long Term (repeated)

Worker Industry: 4.5 mg/kg - Worker Professional: 4.5 mg/kg - Exposure: Human Oral -
Frequency: Short Term (acute)

PNEC Exposure Limit Values

B200 - SALE GALVANICO - CAS: 506-64-9

Target: Fresh Water - Value: 0.03 µg/l

Silver Cyanide - CAS: 506-64-9

Target: Fresh Water - Value: 0.03 µg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Safety Data Sheet

B200 - SALE GALVANICO



Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:
Mask with filter "B", grey colour
Mask with filter "P", white colour

Thermal Hazards:
None

Environmental exposure controls:
None

Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Solid	--	Powder
Colour:	White	--	--
Odour:	Characteristic	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	Non-flammable	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	N.A.	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	Insoluble	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative	N.A.	--	--

density:			
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

It may generate flammable gases on contact with mineral acids, organic acids, elementary metals (alkalis and alkaline earth), and nitrides.

It may generate flammable gases on contact with water, mineral acids, organic acids, caustic substances, isocyanates, mercaptans, and other organic sulphides.

It may generate toxic gases on contact with mineral acids, organic acids, organic peroxides and hydroperoxides, and powerful oxidising agents.

It may catch fire on contact with powerful oxidising agents.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

HCN

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the substance:

B200 - SALE GALVANICO - CAS: 506-64-9

a) acute toxicity

The product is classified: Acute Tox. 3 H301

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

- g) reproductive toxicity
Not classified
Based on available data, the classification criteria are not met
- h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met
- i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
- j) aspiration hazard
Not classified
Based on available data, the classification criteria are not met

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

B200 - SALE GALVANICO - CAS: 506-64-9

The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information



14.1. UN number or ID number

ADR-UN Number: 1684

IATA-UN Number: 1684

IMDG-UN Number: 1684

14.2. UN proper shipping name

ADR-Shipping Name: SILVER CYANIDE

IATA-Shipping Name: SILVER CYANIDE

IMDG-Shipping Name: SILVER CYANIDE

14.3. Transport hazard class(es)

ADR-Class:	6.1
ADR - Hazard identification number:	60
IATA-Class:	6.1
IATA-Label:	6.1
IMDG-Class:	6.1

14.4. Packing group

ADR-Packing Group:	II
IATA-Packing group:	II
IMDG-Packing group:	II

14.5. Environmental hazards

ADR-Environmental Pollutant:	Yes
IMDG-Marine pollutant:	Marine Pollutant
IMDG-EmS:	F-A, S-A

14.6. Special precautions for user

ADR-Subsidiary hazards:	-
ADR-S.P.:	-
ADR-Transport category (Tunnel restriction code):	2 (D/E)
IATA-Passenger Aircraft:	669
IATA-Subsidiary hazards:	-
IATA-Cargo Aircraft:	676
IATA-S.P.:	-
IATA-ERG:	6L
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category A SW2
IMDG-Segregation:	SG35

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Regulation (EU) n. 2021/849 (ATP 17 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E1

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the substance.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH032 Contact with acids liberates very toxic gas.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

Safety Data Sheet
B200 - SALE GALVANICO



It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.
This MSDS cancels and replaces any preceding release.